Steven L. Beshear Governor

Leonard K. Peters Secretary Energy and Environment Cabinet



Commonwealth of Kentucky **Public Service Commission**211 Sower Blvd.

P.O. Box 615 Frankfort, Kentucky 40602-0615 Telephone: (502) 564-3940 Fax: (502) 564-3460 psc.ky.gov David L. Armstrong Chairman

James W. Gardner Vice Chairman

> Linda Breathitt Commissioner

October 22, 2013

Robert, Tucker Chairman South Hopkins Water District 129 South Main Street P.O. Box 487 Dawson Springs, Kentucky 42408

RE:

Case No. 2013-00376

South Hopkins Water District

The Commission staff has reviewed the application in the above case and finds that it meets the minimum filing requirements and has been accepted for filing.

Enclosed please find a stamped filed copy of the first page of your filing. This case has been docketed and will be processed as expeditiously as possible.

If you need further assistance, please contact my staff at 502-564-3940.

Sincerely,

Linda Faulkner

Filings Division Director

LF/tw



Commissioners: Robert Tucker, Chairman Ruby Poe

Roy McGregor

South Hopkins Water District

Phone 270-797-5760 Fax 270-797-3800 129 S. Main St. P. O. Box 487 Dawson Springs, KY 42408

OCT 17 2013

PUBLIC SERVICE COMMISSION

October 14, 2013

Public Service Commission P O Box 615 Frankfort, KY 40601

FILED

OCT 1 7 2013

RE:

South Hopkins Water District Purchased Water Adjustment PUBLIC SERVICE COMMISSION

Dear Sir:

Enclosed are the original and ten copies of a Purchased Water Adjustment, supplier's computation of water cost and revised Tariff Sheet for South Hopkins Water District.

We received a refund from our supplier, Dawson Springs City Water, of \$3422.00 as a result of audited cost of water for last year. The computations for refund to our customers are as follows:

Refund from Dawson City Water	3422.00
Refund to wholesale customers	.00
Refund to retail customers	3422.00

 $3422.00 \div 24{,}751{,}691$ (est. retail sales next 2 months) = \$.13/1000 gallons

Wholesale customer cost is calculated per Water Purchase Ageement and did not change this year.

If there are any questions or you need additional information please contact our office.

Sincerely,

Robert J. Tuckei

Chairman

RJT/jp

Enclosures